



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Joe'Mar Hooper, MPA
Health Operations Administrator

www.milwaukee.gov/health

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

Routine Food

SUPER PETRO, INC.
SUPER PETRO
5909 W Good Hope Rd
Milwaukee, WI

3/5/2014

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

Fee Amount:
\$107.00

CDC Risk Code Factor Violation(s)

Code Number	Description of Violation	Correct By
Cross Contamination		
3-302.11	There were boxes of hot cocoa and Tootsie roll candy on the floor by the 4 compartment sink area. All food must be stored at least 6-8" off the floor to be protected from cross-contamination. (Corrected on-site)	3/19/2014
Unsafe Sources		
3-101.11	There were 3 expired cartons of milk dated 3-2-14 and 3-4-14. Routinely check dates on Grade A dairy products and remove any expired product. All food must be safe, unadulterated and honestly presented. (Corrected on-site)	3/19/2014
CDC Risk Violation(s):	2	

Good Retail Practice Violations(s)

Code Number	Description of Violation	Correct By
3-602.11	Operator is bagging their own ice but not labeling the bags with manufacture's information. Label each individual bag of ice with the manufacture's name and full address.	3/19/2014
5-202.11	There is a water leak at the faucet by the cappuccino machine. Properly repair plumbing leak.	3/19/2014



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Joe'Mar Hooper, MPA
Health Operations Administrator

www.milwaukee.gov/health

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

6-501.12

6-501.12

3/19/2014

- a) There is a lot of boxes and clutter in the old kitchen area. Clean and organize old kitchen area.
- b) The 4 compartment sink is dirty. Clean and maintain clean the 4 compartment sink area.

68-4

The posted copy of your food dealer license states no processing. You have upgraded your license late last year. Contact the City Clerk at 414-286-2238 to obtain a current copy of your food dealer license which includes Processing. (Repeat violation)

Good Practice Violation(s): 3

Total Violations: 5

Notes:

On 3/5/2014, I served these orders upon SUPER PETRO, INC. by leaving this report with

Inspector Signature (Inspector ID:96)

Operator Signature